


BVCH / BVSH Series

3000# Industrial Threaded Ball Valves

Description

Sizes: 1/4" - 2"
 Bore: Full Port
 Temperature: -20° ~+500°F Carbon Steel
 -50° ~+500°F Stainless Steel
 End Connections: Female NPT



Features

2-piece Seal Welded Body in Carbon Steel or Full Stainless
 Fire Safe Design to API 607
 Blow-out Proof Stem Design
 Locking Handle

Specifications

Inspection and Test per API 598
 NPT Threads per ASME B1.20.1
 Materials per NACE MR0175-2009 ed.



Nominal Size	d	L	H	W	S	M	Carbon Steel Part No.	Stainless Steel Part No.	Box Qty	Weight
1/4"	0.39	3.86	2.32	5.71	1.42	0.2	BVCH025-3000	BVSH025-3000	20	2
3/8"	0.39	3.86	2.32	5.71	1.42	0.2	BVCH0375-3000	BVSH0375-3000	20	2
1/2"	0.5	3.86	2.32	5.71	1.42	0.2	BVCH050-3000	BVSH050-3000	20	2
3/4"	0.75	4.25	2.61	7.48	1.65	0.24	BVCH075-3000	BVSH075-3000	10	3.54
1"	0.98	5.39	2.85	7.48	1.65	0.24	BVCH100-3000	BVSH100-3000	10	5.07
1 1/2"	1.5	6.3	5.16	10.04	2.75	0.31	BVCH150-3000	BVSH150-3000	4	11.68
2"	1.97	6.3	5.47	16.14	2.75	0.31	BVCH200-3000	BVSH200-3000	4	16.49

Carbon Steel Parts List			Stainless Steel Parts List		
Part Description	Material	Qty	Part Description	Material	Qty
Body	A216 WCB	1	Body	A351-CF8M SS	1
Ball	A182-F316 SS	1	Ball	A182-F316 SS	1
Seat	PEEK	2	Seat	PEEK	2
Body O-Ring	Viton®	1	Body O-Ring	Viton®	1
Stem	A276-316 SS	1	Stem	A276-316 SS	1

Viton is a registered trademark of DuPont